Plant Molecular Biology

Contents of Volume 18, 1992

Vol. 18 No. 1 January (I) 1992

Publisher's notice v

List of reviewers (Volume 17, 1991) vi

K.F. McCue and A.D. Hanson: Salt-inducible betaine aldehyde dehydrogenase from sugar beet: cDNA cloning and expression 1

S.J. Gilmour, N.N. Artus and M.F. Thomashow: cDNA sequence analysis and expression of two cold-regulated genes of *Arabidopsis thaliana* 13

F.Z. Watts, A.J. Walters and A.L. Moore: Characterisation of PHSP1, a cDNA encoding a mitochondrial HSP70 from *Pisum sativum* 23

C.R. Simmons, J.C. Litts, N. Huang and R.L. Rodriguez: Structure of a rice β-glucanase gene regulated by ethylene, cytokinin, wounding, salicylic acid and fungal elicitors 33

P. Lund and P. Dunsmuir: A plant signal sequence enhances the secretion of bacterial ChiA in transgenic tobacco 47

G. Gowri, J.D. Kenis, B. Ingemarsson, M.G. Redinbaugh and W.H. Campbell: Nitrate reductase transcript is expressed in the primary response of maize to environmental nitrate 55

A. Beilmann, K. Albrecht, S. Schultze, G. Wanner and U.M. Pfitzner: Activation of a truncated PR-1 promoter by endogenous enhancers in transgenic plants 65

K. Yoshinaga, Y. Kubota, T. Ishii and K. Wada: Nucleotide sequence of *atpB*, *rbcL*, *trnR*, *dedB* and *psaI* chloroplast genes from a fern *Angiopteris lygodiifolia*: a possible emergence of Spermatophyta lineage before the separation of Bryophyta and Pteridophyta 79

K.-H. Linne von Berg and K.V. Kowallik: Structural organization of the chloroplast genome of the chromophytic alga *Vaucheria bursata* 83

S. Ishiguro and K. Nakamura: The nuclear factor SP8BF binds to the 5′-upstream regions of three different genes coding for major proteins of sweet potato tuberous roots 97

A.M. Mennes, A. Quint, J.H. Gribnau, C.J.M. Boot, E.J. van der Zaal, A.C. Maan and K.R. Libbenga: Specific transcription and reinitiation of 2,4-D-induced genes in tobacco nuclei 109

Update section

S.W. King, C.P. Joshi and H.T. Nguyen: DNA sequence of an ABA-responsive gene (*rab* 15) from water-stressed wheat roots 119

R. Hindges and A. Slusarenko: cDNA and derived amino acid sequence of a cytosolic Cu,Zn superoxide dismutase from *Arabidopsis thaliana* (L.) Heyhn 123

T. Kusano, K. Aguan, M. Abe and K. Sugawara: Nucleotide sequence of a rice *rab16* homologue gene 127

S. Chopra, J. Del-favero, R. Dolferus and M. Jacobs: Sucrose synthase of *Arabidopsis*: genomic cloning and sequence characterization 131

K. Steinmüller: Nucleotide sequence and expression of the *ndhH* gene of the cyanobacterium *Synechocystis* sp. PCC6803 135

Wei-Ping Yu, Ai-Yu Wang, Rong-Huay Juang, Hsien-Yi Sung and Jong-Ching Su: Isolation and sequences of rice sucrose synthase cDNA and genomic DNA 139

W.W. Wakarchuk, F.W. Müller and C.F. Beck: Two GC-rich DNA elements of *Chlamydomonas reinhardtii* with complex arrangements of directly repeated sequence motifs 143

J.D. Ng, T. Stinchcombe, Tzu-Ping Ko, E. Alexander and A. McPherson: PCR cloning of the full-length cDNA for the seed protein canavalin from the jack bean plant, *Canavalis ensiformis* 147

B.S. Shorrosh, L. Wen, Kuo-Chang Zen, Jenq-Kuen Huang, J.S. Pan, M.A. Hermodson, K. Tanaka, S. Muthukrishnan and G.R. Reeck: A novel cereal storage protein: molecular genetics of the 19 kDa globulin of rice 151

H. Albrecht, M.D. van de Rhee and J.F. Bol: Analysis of *cis*-regulatory elements involved in induction of a tobacco PR-5 gene by virus infection 155

Tsai-Yun Lin, R. March, S.R. Scanlon and W.R. Folk: Isolation and transcriptional competence of three $tRNA^{Trp}$ genes from *Arabidopsis thaliana* L. 159

B.S. de Pater and R.A. Schilperoort: Structure and expression of a root-specific rice gene 161

N. Sato: Cloning of a low-temperature-induced gene *lti2* from the cyanobacterium *Anabaena variabilis* M3 that is homologous to α-amylases 165

A. Leite, J.A. Yunes, S.R. Turcinelli and P. Arruda: Cloning and characterization of a cDNA encoding a sulfur-rich coixin 171

M. Ueki, E. Uchizawa and K. Yakura: The nucleotide sequence of the rDNA intergenic spacer region in a wild species of the genus *Vicia, V. angustifolia* 175

Erratum

C. Peach and J. Velten: Transgene expression variability (position effect) of CAT and GUS reporter genes driven by linked divergent T-DNA promoters 179

Instructions to authors 181

Vol. 18 No. 2 January (II) 1992

J.H. Waterborg: Existence of two histone H3 variants in dicotyledonous plants and correlation between their acetylation and plant genome size 181

D.A. Walters, C.S. Vetsch, D.E. Potts and R.C. Lundquist: Transformation and inheritance of a hygromycin phosphotransferase gene in maize plants 189

T.M. Spencer, J.V. O'Brien, W.G. Start, T.R. Adams, W.J. Gordon-Kamm and P.G. Lemaux: Segregation of transgenes in maize 201

D.A. Hamilton, M. Roy, J. Rueda, R.K. Sindhu, J. Sanford and J.P. Mascarenhas: Dissection of a pollen-specific promoter from maize by transient transformation assays 211

J.F. Senecoff and R.B. Meagher: *In vivo* analysis of plant RNA structure: soybean 18S ribosomal and ribulose-1,5-bisphosphate carboxylase small subunit RNAs 219

S.B. Altenbach, Chiung-Chi Kuo, L.C. Staraci, K.W. Pearson, C. Wainwright, A. Georgescu and J. Townsend: Accumulation of a Brazil nut albumin in seeds of transgenic canola results in enhanced levels of seed protein methionine 235

A. Koning, A. Jones, J.J. Fillatti, L. Comai and M.W. Lassner: Arrest of embryo development in *Brassica napus* mediated by modified *Pseudomonas aeruginosa* exotoxin A 247

J.-M. Lelievre, C.D. Dickinson, L.A. Dickinson and N.C. Nielsen: Synthesis and assembly of soybean β-conglycinin *in vitro* 259

C.F. Wimpee, R. Morgan and R. Wrobel: An aberrant plastid ribosomal RNA gene cluster in the root parasite *Conopholis americana* 275

U.S. Muchhal and S.D. Schwartzbach: Characterization of a *Euglena* gene encoding a polyprotein precursor to the light-harvesting chlorophyll *a/b*-binding protein of photosystem II 287

D. Bidney, C. Scelonge, J. Martich, M. Burrus, L. Sims and G. Huffman: Microprojectile bombardment of plant tissues increases transformation frequency by *Agrobacterium tumefaciens* 301

T. Halward, T. Stalker, E. LaRue and G. Kochert: Use of single-primer DNA amplifications in genetic studies of peanut (*Arachis hypogaea* L.) 315

C. Lehel, H. Wada, E. Kovács, Z. Török, Z. Gombos, I. Horváth, N. Murata and L. Vigh: Heat shock protein synthesis of the cyanobacterium *Synechocystis* PCC 6803: purification of the GroEL-related chaperonin 327

C. Bisanz-Seyer and R. Mache: Organization and expression of the nuclear gene coding for the plastid-specific S22 ribosomal protein from spinach 337

Shin-Woo Lee, R.N. Nazar, D.A. Powell and J. Robb: Reduced PAL gene suppression in *Verticillium*-infected resistant tomatoes 345

C.C. Bayley, M. Morgan, E.C. Dale and D.W. Ow: Exchange of gene activity in transgenic plants catalyzed by the Cre-*lox* site-specific recombination system 353

M.-F. Dorbe, M. Caboche and F. Daniel-Vedele: The tomato *nia* gene complements a *Nicotiana plumbaginifolia* nitrate reductase-deficient mutant and is properly regulated 363

K.Y. Park, A. Drory and W.R. Woodson: Molecular cloning of an 1-aminocyclopropane-1-carboxylate synthase from senescing carnation flower petals 377

J. Xue, M. Lenman, A. Falk and L. Rask: The glucosinolate-degrading enzyme myrosinase in Brassicaceae is encoded by a gene family 387

Update section

Ju-Kon Kim and R. Wu: Nucleotide sequence of a high-pI rice (*Oryza sativa*) α-amylase gene 399

T.W. Dreher and K.L. Bransom: Genomic RNA sequence of turnip yellow mosaic virus isolate TYMC, a cDNA-based clone with verified infectivity 403

Y. Salts, D. Kenigsbuch, R. Wachs, W. Gruissem and R. Barg: DNA sequence of the tomato fruit expressed proline-rich protein gene TPRP-F1 reveals an intron within the 3′ untranslated transcript 407

A. Cohen and E.A. Bray: Nucleotide sequence of an ABA-induced tomato gene that is expressed in wilted vegetative organs and developing seeds 411

W. Weglöhner and A.R. Subramanian: Nucleotide sequence of a region of maize chloroplast DNA containing the 3′ end of *clpP*, exon 1 of *rps12* and *rpl20* and their cotranscription 415

S. Kanakari, G. Timmler, K. von Knoblauch and A.R. Subramanian: Nucleotide sequence, map position and transcript pattern of the intron-containing gene for maize chloroplast ribosomal protein S16 419

S.K. Rasmussen and A. Johansson: Nucleotide sequence of a cDNA coding for the barley seed protein CMa: an inhibitor of insect α-amylase 423

Instructions to authors 429

Vol. 18 No. 3 February 1992 (I) 1992

G. Gagné and M. Guertin: The early genetic response to light in the green unicellular alga *Chlamydomonas eugametos* grown under light/dark cycles involves genes that represent direct responses to light and photosynthesis 429

J.-F. Laliberté, O. Nicolas, S. Durand and R. Morosoli: The xylanase introns from *Cryptococcus albidus* are accurately spliced in transgenic tobacco plants 447

J. Vicente-Carbajosa, D.R. Beritashvili, A.S. Kraev and K.G. Skryabin: Conserved structure and organization of B hordein genes in the *Hor 2* locus of barley 453

D.N. Crowell, M.E. John, D. Russell and R.M. Amasino: Characterization of a stress-induced, developmentally regulated gene family from soybean 459

C.D. Scaramuzzi, H.W. Stokes and R.G. Hiller: Heat shock Hsp70 protein is chloroplast-encoded in the chromophytic alga *Pavlova lutherii* 467

N. Li, B.L. Parsons, D. Liu and A.K. Mattoo: Accumulation of wound-inducible ACC synthase transcript in tomato fruit is inhibited by salicylic acid and polyamines 477

J. Fliegmann, G. Schröder, S. Schanz, L. Britsch and J. Schröder: Molecular analysis of chalcone and dihydropinosylvin synthase from Scots pine (*Pinus sylvestris*), and differential regulation of these and related enzyme activities in stressed plants 489

K. Recourt, M. Verkerke, J. Schripsema, A.A.N. van Brussel, B.J.J. Lugtenberg and J.W. Kijne: Major flavonoids in uninoculated and inoculated roots of *Vicia sativa* subsp. *nigra* are four conjugates of the nodulation gene-inhibitor kaempferol 505

J.W. Tregear and L.M. Roberts: The lectin gene family of *Ricinus communis*: cloning of a functional ricin gene and three lectin pseudogenes 515

N. Wedel, S. Clausmeyer, R.G. Herrmann, L. Gardet-Salvi and P. Schürmann: Nucleotide sequence of cDNAs encoding the entire precursor polypeptide for thioredoxin *m* from spinach chloroplasts 527

A. Heyer and C. Gatz: Isolation and characterization of a cDNA- clone coding for potato type A phytochrome 535

S. Karpinski, G. Wingsle, O. Olsson and J.-E. Hällgren: Characterization of cDNAs encoding CuZn-superoxide dismutases in Scots pine 545

M. Ellerström, L.-G. Josefsson, L. Rask and H. Ronne: Cloning of a cDNA for rape chloroplast 3-isopropylmalate dehydrogenase by genetic complementation in yeast 557

M.R. Knight and G.I. Jenkins: Genes encoding the small subunit of ribulose 1,5-bisphosphate carboxylase/oxygenase in *Phaseolus vulgaris* L.: nucleotide sequence of cDNA clones and initial studies of expression 567

Update section

X.-H. Feng, P.J. Bottino and S.-D. Kung: Molecular identification of a soybean protein kinase gene family by using PCR 581

K. Skriver, R. Leah, F. Müller-Uri, F.-L. Olsen and J. Mundy: Structure and expression of the barley lipid transfer protein gene *Ltp1* 585

D. Scherer, A. Sato, D.W. McCarter, S.E. Radke, J.C. Kridl and V.C. Knauf: Non-essential repeats in the promoter region of a *Brassica rapa* acyl carrier protein gene expressed in developing embryos 591

L.K. Hardison, B.A. Boczar, A.E. Reynolds and R.A. Cattolico: A description of the Rubisco large subunit gene and its transcript in *Olisthodiscus luteus* 595

M. Lévesque and D.A. Johnson: Nucleotide sequence of the chloroplast 23S rRNA gene from alder (*Alnus incana*) 601

M. Dobrzańska and B. Szurmak: A moderately repeated DNA sequence of wheat and rye genomes 603

N.N. Sandal, K. Bojsen, H. Richter, C. Sengupta-Gopalan and K.A. Marcker: The nodulin 24 protein family shows similarity to a family of glycine-rich plant proteins 607

M.-L. Chye and C.-T. Tan: Isolation and nucleotide sequence of a cDNA clone encoding the beta subunit of mitochondrial ATP synthase from *Hevea brasiliensis* 611

S. Leu, J. Schlesinger, A. Michaels and N. Shavit: Complete DNA sequence of the *Chlamydomonas reinhardtii* chloroplast *atpA* gene 613

C. Caelles, M. Delseny and P. Puigdomènech: The hydroxyproline-rich glycoprotein gene from *Oryza sativa* 617

V. Kumar and M.E. Spencer: Nucleotide sequence of an osmotin cDNA from *Nicotiana tabacum* cv. White Burley generated by the polymerase chain reaction 621

M.C. Criqui, E. Jamet, Y. Parmentier, J. Marbach, A. Durr and J. Fleck: Isolation and characterization of plant cDNA showing homology to animal glutathione peroxidases 623

Vol. 18 No. 4 February 1992 (II) 1992

Publisher's notice iii

Research articles

J. Mattsson, C. Borkird and P. Engström: Spatial and temporal expression patterns directed by the *Agrobacterium tumefaciens* T-DNA gene 5 promoter during somatic embryogenesis in carrot 629

M.-F. Liaud, H. Brinkmann and R. Cerff: The β-tubulin gene family of pea: primary structures, genomic organization and intron-dependent evolution of genes 639

B.A. Moffatt, E.A. McWhinnie, W.E. Burkhart, J.J. Pasternak and S.J. Rothstein: A complete cDNA for adenine phosphoribosyltransferase from *Arabidopsis thaliana* 653

B. Hong, R. Barg and T.-H. D. Ho: Developmental and organ-specific expression of an ABA- and stress-induced protein in barley 663

A.H. Christensen, R.A. Sharrock and P.H. Quail: Maize polyubiquitin genes: structure, thermal perturbation of expression and transcript splicing, and promoter activity following transfer to protoplasts by electroporation 675

A. Kubo, H. Saji, Kiyoshi Tanaka, Kunisuke Tanaka and N. Kondo: Cloning and sequencing of a cDNA encoding ascorbate peroxidase from *Arabidopsis thaliana* 691

C.L. Brough, W.E. Gardiner, N.M. Inamdar, X.-Y. Zhang, M. Ehrlich and D.M. Bisaro: DNA methylation inhibits propagation of tomato golden mosaic virus DNA in transfected protoplasts 703

A. Sundås, K. Tandre, E. Holmstedt and P. Engström: Differential gene expression during germination and after the induction of adventitious bud formation in Norway spruce embryos 713

C.E. Coleman and T.-H. Kao: The flanking regions of two *Petunia inflata S* alleles are heterogeneous and contain repetitive sequences 725

A. Granell, J.G. Peretó, U. Schindler and A.R. Cashmore: Nuclear factors binding to the extensin promoter exhibit differential activity in carrot protoplasts and cells 739

S. Torres-Schumann, J.A. Godoy and J.A. Pintor-Toro: A probable lipid transfer protein gene is induced by

NaCl in stems of tomato plants 749

M.-P. Dorthu, S. Remy, M.-R. Michel-Wolwertz, L. Colleaux, D. Breyer, M.-C. Beckers, S. Englebert, C. Duyckaerts, F.E. Sluse and R.F. Matagne: Biochemical, genetic and molecular characterization of new respiratory-deficient mutants in *Chlamydomonas reinhardtii* 759

Update section

M. Reith: *psaE* and *trnS*(CGA) are encoded on the plastid genome of the red alga *Porphyra umbilicalis* 773

U. Kessler, U. Maid and K. Zetsche: An equivalent to bacterial *ompR* genes is encoded on the plastid genome of red algae 777

R. D'Ovidio, O.A. Tanzarella and E. Porceddu: Nucleotide sequence of a low-molecular-weight glutenin from *Triticum durum* 781

T. Shimizu, T. Hiyama, M. Ikeuchi and Y. Inoue: Nucleotide sequences of the *psaA* and *psaB* genes encoding the Photosystem I core proteins from the thermophilic cyanobacterium *Synechococcus vulcanus* 785

J.R. Botella, C.D. Schlagnhaufer, R.N. Arteca and A.T. Phillips: Identification and characterization of three putative genes for 1-aminocyclopropane-1-carboxylate synthase from etiolated mung bean hypocotyl segments 793

Y. Hur, E.A. Unger and A.C. Vasconcelos: Isolation and characterization of a cDNA encoding cytosolic fructose-1,6-bisphosphatase from spinach 799

M.E. Mulligan and D.M. Jackman: Nucleotide sequence and expression of the gene for the 9 kDa F_A/F_B component of Photosystem I from the cyanobacterium *Anabaena* sp. PCC 7120 803

T. Mizoguchi, N. Hayashida, K. Yamaguchi-Shinozaki, H. Harada and K. Shinozaki: Nucleotide sequence of a cDNA encoding a protein kinase homologue in *Arabidopsis thaliana* 809

L. Wen, J.-K. Huang, K.C. Zen, B.H. Johnson, S. Muthukrishnan, V. MacKay, T.R. Manney, M. Manney and G.R. Reeck: Nucleotide sequence of a cDNA clone that encodes the maize inhibitor of trypsin and activated Hageman factor 813

F. Guerineau, A. Lucy and P. Mullineaux: Effect of two consensus sequences preceding the translation initiator codon on gene expression in plant protoplasts 815

S. Jouannic, C. Kerbourc'h, B. Kloareg and S. Loiseaux-de Goër: Nucleotide sequences of the *atpB* and the *atpE* genes of the brown alga *Pylaiella littoralis* (L.) Kjellm 819

G. Haberhausen and K. Zetsche: Nucleotide sequence of the *rbcL* gene and the intergenic promoter region between the divergently transcribed *rbcL* and *atpB* genes of *Ipomoea purpurea* (L.) 823

G.A. Thompson, D.R. Siemieniak, L.C. Sieu, J.L. Slightom and B.A. Larkins: Sequence analysis of linked maize 22 kDa α-zein genes 827

Y. Takeuchi, M. Dotson and N.T. Keen: Plant transformation: a simple particle bombardment device based on flowing helium 835

F. Sagliocco, A. Kapazoglou and L. Dure III: Sequence of *cab*-151, a gene encoding a photosystem II, type II chlorophyll *a/b*-binding protein in cotton 841

N. Baev and A. Kondorosi: Nucleotide sequence of the *Rhizobium meliloti nodL* gene located in locus n5 of the *nod* regulon 843

L. Didierjean, P. Frendo and G. Burkard: Stress responses in maize: sequence analysis of cDNAs encoding glycine-rich proteins 847

Vol. 18 No. 5 March (I) 1992

Publisher's announcement iii

List of North American reviewers (Volume 18, 1992) iv

News and Views 851

J.H. Pak, T. Hendrickson and M.S. Dobres: Predicted sequence and structure of a vegetative lectin in *Pisum sativum* 857

J.J. Kieber, M.F. Lopez, A.F. Tissier and E. Signer: Purification and properties of DNA topoisomerase I from broccoli 865

T.K. Prasad and C.R. Stewart: cDNA clones encoding *Arabidopsis thaliana* and *Zea mays* mitochondrial chaperonin HSP60 and gene expression during seed germination and heat shock 873

B. Otto, I. Ohad and K. Kloppstech: Temperature treatments of dark-grown pea seedlings cause an accelerated greening in the light at different levels of gene expression 887

Z.-T. Xue, M.-L. Xu, W. Shen, N.-L. Zhuang, W.-M. Hu and S. Chiun Shen: Characterization of a *Gy4* glycinin gene from soybean *Glycine max* cv. Forrest 897

P.C. Bonham-Smith, T.L. Oancia and M.M. Moloney: Cytoplasmic ribosomal protein S15a from *Brassica napus*: molecular cloning and dvelopmental expression in mitotically active tissues 909

B. Tinland, P. Fournier, T. Hecker and L. Otten: Expression of a chimaeric heat-shock-inducible *Agrobacterium 6b* oncogene in *Nicotiana rustica* 921

M.D. Thompson, C.M. Jacks, T.R. Lenvik and J.S. Gantt: Characterization of *rps17*, *rpl19* and *rpl15*: three nucleus-encoded plastid ribosomal protein genes 931

S.W. Rogers and J.C. Rogers: The importance of DNA methylation for stability of foreign DNA in barley 945

Update section

T.S. Tseng, K.W. Yeh, C.H. Yeh, F.C. Chang, Y.M. Chen and C.Y. Lin: Two rice (*Oryza sativa*) full-length cDNA clones encoding low-molecular-weight heat-shock proteins 963

A.J. Spano, Zhenghui He, H. Michel, D.F. Hunt and M.P. Timko: Molecular cloning, nuclear gene structure, and developmental expression of NADPH: protochlorophyllide oxidoreductase in pea (*Pisum sativum* L.) 967

H. Mori, Ken-ichi Higo, H. Higo, Y. Minobe, H. Matsui and S. Chiba: Nucleotide and derived amino acid sequence of a catalase cDNA isolated from rice immature seeds 973

D.K. Didier and H.J. Klee: Identification of an *Arabidopsis* DNA-binding protein with homology to nucleolin 977

I.M. Martínez-Férez and A. Vioque: Nucleotide sequence of the phytoene desaturase gene from *Synechocystis* sp. PCC 6803 and characterization fo a new mutation which confers resistance to the herbicide norflurazon 981

C. Huang and X.-Q. Liu: Nucleotide sequence of the *frxC*, *petB* and *trnL* genes in the chloroplast genome of *Chlamydomonas reinhardtii* 985

J.S. Okkels, V.S. Nielsen, H.V. Scheller and B.L. Møller: A cDNA clone from barley encoding the precursor from the photosystem I polypeptide PSI-G: sequence similarity to PSI-K 989

S. Betts and E. Pichersky: Nucleotide sequence of cDNA encoding the precursor of the 23 kDa photosystem II protein of tomato 995

Shao-bing Hua, S.K. Dube, N.M. Barnett, Shain-dow Kung, Din-Pow Ma, Yueh-Tsu King, Y. Kim and W.S. Luckett, Jr.: Photosystem II 23 kDa polypeptide of oxygen-evolving complex is encoded by a multigene family in tobacco 997

B. Schrautemeier and H. Böhem: Coding sequence of a heterocyst ferredoxin gene (*fdxH*) isolated from the nitrogen-fixing cyanobacterium *Calothrix sp.* PCC 7601 1005

D. Bartling, H. Bülter, K. Liebeton and E.W. Weiler: An *Arabidopsis thaliana* cDNA clone encoding a 17.6 kDa class II heat shock protein 1007

Y. Ichinose, S. Kawamata, T. Yamada, ChengCai An, T. Kajiwara, T. Shiraishi, H. Oku: Molecular cloning of chalcone synthase cDNAs from *Pisum sativum* 1009

D. Tremousaygue, M. Laudie, F. Grellet and M. Delseny: The *Brassica oleracea* rDNA spacer revisited 1013

J. Mattsson, E. Söderman, M. Svenson, C. Borkird and P. Engström: A new homeobox-leucine zipper gene from *Arabidopsis thaliana* 1019

L. Lepiniec, M. Hodges, P. Gadal and C. Crétin: Isolation, characterization and nucleotide sequence of a full-length pea cDNA encoding thioredoxin-f 1023

R.B. Klösgen, I.W. Brock, R.G. Herrmann and C. Robinson: Proton gradient-driven import of the 16 kDa oxygen-evolving complex protein as the full precursor protein by isolated thylakoids 1031

K.K. Neo, S.-M. Wong and M. Wu: Nucleotide sequences of the two ORFs upstream to the coat protein gene of cymbidium mosaic virus 1027

Erratum 1035

Vol. 18 No. 6 March (II) 1992 1992

Publisher's notice iii

Research articles

K.H. Wolfe, D.S. Katz-Downie, C.W. Morden and J.D. Palmer: Evolution of the plastid ribosomal RNA operon in a nongreen parasitic plant: accelerated sequence evolution, altered promoter structure, and tRNA peudogenes 1037

P. Goupil, P. Hatzopoulos, G. Franz, F.D. Hempel, R. You and Z.R. Sung: Transcriptional regulation of a seed-specific carrot gene, DC8 1049

R.S. Khush and J.I. Yoder: Independent transposition of multiple *Ac* elements in the same transgenic tomato cell 1065

F. Maggini, G. Tucci, A. Demartis, M.T. Gelati and S. Avanzi: Ribosomal RNA genes of *Phaseolus coccineus*. I 1073

C. Curie, T. Liboz, M.-H. Montané, D. Rouan, M. Axelos and B. Lescure: The activation process of *Arabidopsis thaliana* A1 gene encoding the translation elongation factor EF-1α is conserved among angiosperms 1083

T.-F. Chia, Y.-S. Chan and N.-H. Chua: Characterization of cymbidium mosaic virus coat protein gene and its expression in transgenic tobacco plants 1091

K. Weterings, W. Reijnen, R. van Aarssen, A. Kortstee, J. Spijkers, M. van Herpen, J. Schrauwen and G. Wullems: Characterization of a pollen-specific cDNA clone from *Nicotiana tabacum* expressed during microgametogenesis and germination 1101

O.J.M. Goddijn, R.J. de Kam, A. Zanetti, R.A. Schilperoort and J.H.C. Hoge: Auxin rapidly down-regulates transcription of the tryptophan decarboxylase gene from *Catharanthus roseus* 1113

G. Pasquali, O.J.M. Goddijn, A. de Waal, R. Verpoorte, R.A. Schilperoort, J.H.C. Hoge and J. Memelink: Coordinated regulation of two indole alkaloid biosynthetic genes from *Catharanthus roseus* by auxin and elicitors 1121

J. Pen, A.J.J. van Ooyen, P.J.M. van den Elzen, K. Rietveld and A. Hoekema: Direct screening for high-level expression of an introduced α-amylase gene in plants 1133

J.M. Cock, P. Hémon and J.V. Cullimore: Characterization of the gene encoding the plastid-located glutamine synthetase of *Phaseolus vulgaris*: regulation of β-glucuronidase gene fusions in transgenic tobacco 1141

A. Johansson, S.K. Rasmussen, J.E. Harthill and K.G. Welinder: cDNA, amino acid and carbohydrate sequence of barley seed-specific peroxidase BP 1 1151

J. de Silva, S.J. Robinson and R. Safford: The isolation and functional characterisation of a *B. napus* acyl carrier protein 5′ flanking region involved in the regulation of seed storage lipid synthesis 1163

Update Section

L. McHenry and P.J. Fritz: Comparison of the structure and nucleotide sequences of vicilin genes of cocoa and cotton raise questions about vicilin evolution 1173

G.J.H. van Rooijen, L.I. Terning and M.M. Moloney: Nucleotide sequence of an *Arabidopsis thaliana* oleosin gene 1177

R.J. Ferl and A.-L. Paul: Chemical detection of Z-DNA within the maize *Adh1* promoter 1181

L.Y. Fang, P.R. Gross, C.-H. Chen and M. Lillis: Sequence of two acetohydroxyacid synthase genes from *Zea mays* 1185

B.S. Shorrosh and R.A. Dixon: Sequence analysis of an alfalfa 25S rRNA 1189

A.-Y. Wang, W.-P. Yu, R.-H. Juang, J.-W. Huang, H.-Y. Sung and J.-C. Su: Presence of three rice sucrose synthase genes as revealed by cloning and sequencing of cDNA 1191

R. Liu, O.-A. Olsen, M. Kreis and N.G. Halford: Molecular cloning of a novel barley seed protein gene that is repressed by abscisic acid 1195

J. Kataoka, N. Habuka, M. Miyano, C. Masuta and A. Koiwai: Nucleotide sequence of cDNA encoding α-luffin, a ribosome-inactivating protein from *Luffa cylindrica* 1199

K. Boye, B.M. Stummann and K.W. Henningsen: cDNA cloning and sequencing of the bean yellow mosaic virus nuclear inclusion protein genes 1203

Z. Szweykowska-Kulińska and A. Badźmierowska: Nucleotide sequence of a nuclear $tRNA^{Tyr}$ gene from *Triticum aestivum* 1207

R.P. Moon, S.E. Unkles, J.M. Duncan, A.R. Hawkins and J.R. Kinghorn: Sequence of the *Phytophthora infestans* glyceraldehyde-3-phosphate dehydrogenase-encoding gene (*gpdA*) 1209

S. Harbinder, V. Gupta and M. Lakshmikumaran: Fluidity of the 350 bp tandemly repeated DNA family of *Brassica nigra* 1213

N. Simovic, D. Wolyn, G. Jelenkovic: Sequence analysis of 18S ribosomal RNA gene in *Fragaria* x *Ananassa* Duch. cultivated octoploid strawberry 1217

Sequence Data Submission Form 1221

Instructions to authors 1225